

NPIC/R-1306/64 July 1964

MISSION COVERAGE INDEX

MISSION


25X1D

23 JULY 1964





NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET

CROUP : Excluded from outsmatic downgroding and declassificati

Approved For Release 2000/05/10: CIA-RDP78B04560A003700010017-0

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.



Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

PREFACE

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE

25X1D

LAOS. NO TARGETS WERE OBSERVED ON MISSION 2100.

ITEMS ARE ARRANGED IN THREE SECTIONS --

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE: IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECTION III PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH OF THE THREE SECTIONS ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN

Approved For Release 2000/05/10: CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L509, SCALE 1/250,000 AND L004, 1/50,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

SECTION I

THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

Approved For Release 2000/05/10: CIA-RDP78B04560A003700010017-0

25X1D

Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

Target	Coordinates		WAC	larget	get Numbers	
	+			BE	NPIC	
-LAOS	The second secon					
EAGS					İ	
AIR INSTALLATIONS	Total at supple					
BAN SOUI AIRFIELD NO APPARENT CHANGE IN FACILITIES SINCE MISSION	1931N	1Ø253E	Ø617		478	
AIRCRAFT 3 LIAISON-TYPE AND 2 HELICOPTERS.	· ·					
BAN THANG AREA, LANDING STRIP (1)	1925N	10304E	Ø617		427-B	
IMMEDIATELY EAST OF BAN THANG. 5,500 X 150 FT NE/SW GRADED EARTH LANDING STRIP, FLOODED IN MIDDLE. AIRCRAFT NONE OBSERVED.						
25X1D						
BAN NON HON AREA, LANDING STRIP 1.6 NM WEST OF BAN NON HON. 4,200 X 175 FT NE/SW GRADED EARTH AND SOD LANDING STRIP, PROBABLY UNSERVICEABLE. FACILITIES INCLUDE 7 SUPPORT BUILDINGS IN AN AREA SOUTH OF THE STRIP AND 13 SUPPORT BUILDINGS NORTH OF THE STRIP.	1926N	10305E	Ø617		427-A	
NO VEHICLES OBSERVED.				/		
AIRCRAFT DNE DERELICT C-47. 25X1D						
MILITARY INSTALLATIONS						
MUONG SOUI AREA, MILITARY AREAS NO APPARENT CHANGE IN CLOUD-FREE AREAS SINCE	1932N	1Ø253E	Ø617		478-B	
25X1D						

3

SECRET Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

Target	Coordinates	WAC	Target Numbers	
			BE	NPIC
BAN KEUTT AREA, DEFENSE POSITIONS AREAS A, C THROUGH N NOT COVERED. 25X1D AREA B NO APPARENT CHANGE SINCE	1934N 10259E	Ø617		478-
BAN NA BOUA, AAA SITE Ø.4 NM SW OF BAN NA BOUA AT UTM UGØ37533. 6-GUN UNDCCUPIED AAA SITE	1928N 10307E	Ø617		427-
BAN SUON, MILITARY ACTIVITY AREAS A, B AND C NOT OBSERVED.	1929N 10307E	Ø617		3Ø9-(
AREA D 5 UNOCCUPIED IRREGULARLY-SHAPED TRENCH SYSTEMS ON ADJACENT HILL TOPS.	,			
BAN PHIEN LUONG AREA, STRONGPOINTS AREAS A, B, AND D NOT COVERED. 25X1D	1930N 10305E	Ø617		427-L
AREA C NO APPARENT CHANGE SINCE				
AREA E UNOCCUPIED SIX-GUN AND 2 UNOCCUPIED 4-GUN AAA SITES.				
25X1D				
BAN NA HANG AREA, STRONGPOINT 25X1D 1.3 NM WEST OF BAN NA HANG AT UTM	1937N 10307E	Ø617		426-I

25X1D

25X1D

NPIC/R-1306/64

Target	Coordinates	WAC	Target Numbers	
i arget	Coordinates	","	BE	NPIC
A CIRCULAR TRENCH SYSTEM CONTAINING 3 RAZED BUILDINGS, APPEARS UNDCCUPIED. 25X1D				
BAN TANG AREA, STRONGPOINTS AREAS REFERENCED FROM BAN TANG.	1938N 1Ø312E	Ø617		426-
AREA A (1.3 NM WNW AT UTM UGØ927Ø8) IRREGULARLY-SHAPED STRONGPOINT SECURED BY A SAWTOOTH PERIMETER TRENCH, CONTAINS 3 TENTS AND APPROXIMATELY 5Ø BUILDINGS (25 IN VARIOUS STAGES OF DESTRUCTION/DISREPAIR). DEFENSES INCLUDE NUMEROUS AW POSITIONS. NUMEROUS BOMB CRATERS OBSERVED THROUGHOUT THE STRONGPOINT.				
AREA B (1.8 NM SE AT UTM UG134698) ABANDONED STRONGPOINT LOCATED ATOP HILL.				
AREA C (1.1 NM SW AT UTM UGØ977Ø9) IRREGULARLY-SHAPED STRONGPOINT CONTAINING 6 HUTS AND NUMEROUS FIRING BAYS. APPEARS ABANDONED. MISCELLANEOUS				
ROUTE 7 SINGLE LANE, SEASONAL, IN FAIR CONDITION. OBSERVED FROM 19-32N 102-51E TO 19-33N 102-56E AND FROM 19-31N 103-05E TO 19-27N 103-09E.	N E	Ø617		

SECTION II

NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST DETERMINED ARE LISTED UNDER THIS SECTION. ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS PARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO AP-

Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

Target		Coordinates				et Numbers	
				I AC	BE	NPIC	
-LAOS-				The state of the s			
AIR INSTALLATIONS	25X1D					:	
BAN KHAI AREA, LANDING STRIP		1932N	1Ø254E	Ø617		478-C	
BAN SAO LANDING STRIP		1927N	10307E	Ø617		427-D	
BAN NA KHAI, AIRFIELD	25X1D	1934N	10301E	Ø617		426-C	
BAN SEN AREA, AIRFIELD	25X1D	1937N	10305E	Ø617		426-A	
BAN SONG HAC AIRFIELD	25X1D	1938N	10306E	Ø617	25X1A	426	
MILITARY INSTALLATIONS XIENG KHOUANG AIRFIELD AREA, STRONGPOINTS	25X1D 25X1D	1926N	10309E	Ø617		130-т	
MUONG MAY, MILITARY CAMP		1449N	1Ø656E	Ø738 ·		101-B	
2	5X1D						

25X1D

25X1D

Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

Target Numbers

i arget	Coordinates		WAC	3-		
				BE	NPIC	
					1	
STORAGE					}	
BAN SAO, ARMOR STORAGE AND MAINTENANCE AREA	1927N	10307E	Ø617		427-E	
				·		
AN SONG HAC, ARMOR STOR & MAINT AREA	1937N	1Ø3Ø6E	Ø617		436 D	
		123200	2011		426-B	
		E .				
		1				
		·				
		į				

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED .

Approved For Release 2000/05/10 : CIA-RDP78B04560A003700010017-0

NPIC/R-1306/64

Target		Coordinates	WAC		Numbers
			- ""	BE	NPIC
-L AOS-					
AIR -INSTALLATIONS				05744	
				25X1A	
BAN NON HON AIRFIELD	25X1D	1926N 10305E	Ø617		427
XIENG KHOUANG AIRFIELD		1927N 10308E	Ø617		13Ø-A
	25X1D				

NPIC/R-1306/64

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

Coordinates—Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

WAC--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears. $\label{eq:continuous} \begin{array}{c} \\ \\ \end{array}$

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

SECI